

CROWN

M SERIES

Profile Sheet

Walkie Stackers



M Series

1	Manufacturer	Crown Equipment Corporation			
2	Model	20M			
3	Load Capacity*	lb	2000		
4	Load Center	in	24		
5	Mast Type		Single		
6	Lifting Height	in	67		
7	Collapsed Height	in	78		
8	Head Length	in	31.5		
	Net Weight with Batteries	lb	990		
9	Overall Baseplate Width	in	26		
10	Inside/Outside Fork Spread	in	15.8/25.9		
11	Fork Lengths	in	30, 36, 42 and 48		
	Overall Length	in	Head Length (8) + Fork Length (11)		
2	Model	20MT			
3	Load Capacity*	lb	2000		
4	Load Center	in	24		
5	Mast Type		Telescopic		
6	Lifting Height	in	90	110	130
	Free Lift**	in	50	60	70
7	Collapsed Height	in	71.5	81.5	91.5
8	Extended Height***	in	106.5	126.5	146.5
9	Head Length	in	34.2	34.2	34.2
	Net Weight with Batteries****	lb	1300	1400	1455
10	Inside Straddle	in	Adjustable in 2" increments from 32" to 50"		
	Outside Straddle	in	Inside plus 6.25"		
11	Fork Lengths	in	30, 36, 42 and 48		
12	Fork Adjustment	in	6.7 to 25		

*Attachments and longer load dimensions may result in derating of the capacity. Contact local dealer.

**Without load backrest (subtract 19.5" if optional load backrest is used.)


***Add 19.5" if optional load backrest is used.

****Add 90 lb for semi-industrial batteries.

Battery Pack		6 hour rate	20 hour rate
Four 6-volt batteries	Amp hour	87	100

Built-in Charger	Volt	120
-------------------------	------	-----

M Series



Straddling Load

Pallet Width		Pallet Length							
		30		36		42		48	
		A	B	A	B	A	B	A	B
30	in	55	64	59	64	62	66	65	71
36	in	59	65	62	66	65	69	68	72
42	in	64	68	66	69	69	71	71	74
48	in	69	72	70	72	72	74	74	77

Load Over Outriggers

Pallet Width		Pallet Length							
		30		36		42		48	
		A	B	A	B	A	B	A	B
30	in	50	63	54	64	57	66	60	68
36	in	53	64	57	65	60	67	63	69
42	in	58	65	62	67	64	68	67	70
48	in	64	66	67	68	68	70	70	72

Add 6" to all aisle dimensions for maximum maneuverability.



Crown Equipment Corporation
 New Bremen, Ohio 45869 USA
Tel 419-629-2311
Fax 419-629-3796
 crown.com

You can count on Crown to build lift trucks designed for safe operation, but that's only part of the safety equation. Crown encourages safe operating practices through ongoing operator training, safety-focused supervision, maintenance and a safe working environment. Go to crown.com and view our safety section to learn more.

Because Crown is continually improving its products, specifications are subject to change without notice.

Crown, the Crown logo, the color beige and the Momentum symbol are trademarks of Crown Equipment Corporation.

Copyright 2012 Crown Equipment Corporation
 SF18787 01/12
 Printed in U.S.A.